


Grange Primary School



Allergy Policy

September 2026

Belong

Believe

Achieve

Contents

1. Aims	2
2. Legislation and guidance	2
3. Roles and responsibilities	2
4. Identifying individuals at risk	4
5. Assessing risk	6
6. Minimising risk.....	6
7. Procedures for handling an allergic reaction	8
8. Adrenaline devices (ADs).....	8
9. Serious incidents and 'near misses'	9
10. Allergy awareness.....	9
11. Wellbeing	10
12. Information sharing	10
13. Monitoring arrangements	10
14. Links to other policies.....	10

1. Aims

➤ This policy aims to:

- Set out Grange Primary School's approach to allergy safety, including reducing the risk of exposure and the procedures in place in case of allergic reaction.
- Make clear how the school supports pupils with allergies to ensure their wellbeing, participation and inclusion.
- Promote and maintain allergy awareness across the school community.
- Ensure that all staff understand their responsibilities in preventing, recognising and responding to allergic reactions and anaphylaxis.

2. Legislation and guidance

This policy is based on the Department for Education (DfE)'s statutory guidance on [allergy safety in schools](#) and [supporting pupils with medical conditions at school](#), the Department of Health and Social Care's guidance on [using emergency adrenaline auto-injectors in schools](#), and the following legislation:

➤ [The Food Information Regulations 2014](#)

➤ [The Food Information \(Amendment\) \(England\) Regulations 2019](#)

3. Roles and responsibilities

3.1 The governing board

The governing board is responsible for ensuring:

- Appropriate arrangements are in place to manage allergy risks.
- The school maintains and reviews an Allergy Safety Policy.
- Allergy-related risks are considered as part of the school's health and safety arrangements.

3.2 Allergy safety lead

The nominated Allergy Safety Leads are:

- Rebecca Benjamins (Headteacher)
- David Bucknall (SENCo)

They're responsible for:

- Implementing this allergy safety policy
- Reviewing the allergy safety policy at least annually, updating it when needed, and making sure it is published
- Promoting and maintaining allergy awareness across our school community
- Developing and reviewing arrangements for the safe storage and disposal of adrenaline devices (AD)
- Ensuring:
 - All allergy information is up to date and readily available to relevant members of staff
 - All pupils who require support with allergies have an up-to-date individual healthcare plan (IHP)
 - All pupils with a known food or insect sting allergy have up-to-date allergy action plans issued by a medical professional
 - All staff receive regular allergy awareness training
 - All staff are aware of the school's policy and procedures regarding allergies
 - Relevant staff are aware of what activities need an allergy risk assessment
 - Serious incidents and 'near misses' relating to allergy safety are recorded and reported as appropriate, and to consider and share with staff:
 - What lessons there are to learn
 - Any potential changes to the medical conditions and/or allergy safety policies and/or to any pupil's IHP

3.3 Headteacher

The headteacher (Rebecca Benjamins) is responsible for:

- Deciding (in discussion with the parents/carers and any relevant healthcare professionals) whether a pupil's allergy can be managed through the adjustments made under the school's medical conditions policy or whether an IHP is required to specify arrangements that reflect the pupil's circumstances

3.4 Office Staff and School Business Manager

are responsible for:

- Checking spare AAI's are present and in date on a monthly basis
- Making sure that replacement AAI's are obtained when expiry dates approach

3.5 Teaching and support staff

All teaching and support staff are responsible for:

- Promoting and maintaining allergy awareness among pupils
- Maintaining awareness of our allergy safety policy and procedures
- Being able to recognise the signs of severe allergic reactions and anaphylaxis
- Being aware of specific pupils with allergies in their care
- Reducing the risk to pupils with known allergies coming into contact with known allergens
- Ensuring the wellbeing and inclusion of pupils with allergies
- Reporting any allergic reaction or case of anaphylaxis to the allergy safety lead

3.6 Parents/carers

Parents/carers are responsible for:

- Being aware of our school's allergy safety policy
- Providing the school with up-to-date details of their child's medical needs, dietary requirements, and any history of allergies, reactions and anaphylaxis
- If required, providing their child with 2 in-date adrenaline auto-injectors and any other medication, including inhalers, antihistamine etc., and making sure these are replaced in a timely manner
- Following the school's guidance on food brought in to be shared
- Updating the school on any changes to their child's condition

3.7 Pupils with allergies

If age-appropriate, these pupils are responsible for:

- Being aware of their allergens and the risks they pose
- Carrying their AD on their person and only using it for its intended purpose
- Understanding how and when to use their AD

3.8 Pupils without allergies

These pupils are responsible for:

- Being aware of allergens and the risk they pose to their peers

Older pupils might also be expected to support their peers and staff in the case of an emergency.

4. Identifying individuals at risk

Allergy is a spectrum of different allergic diseases. Reactions occur when a susceptible person is exposed to something (an "allergen") they are allergic to. Common allergic conditions include:

- Hay fever (allergic rhinitis), triggered by allergens carried in the air, such as pollen, house dust mite, animal fur/feathers, or mould
- Skin allergies (e.g. eczema, contact dermatitis, contact urticaria/hives) caused by contact with allergens including house dust mite, pollen and substances like nickel, latex and some chemicals
- Food allergy, which can cause symptoms ranging from mild itching in the mouth to "whole body" reactions including anaphylaxis

- Asthma which may be triggered by airborne allergens
- Allergy to insect stings and medicines

4.1 Identifying pupils at risk

We will:

- For new starters, send a form to all parent/carers of pupils after their place at the school has been confirmed, but before their first school year starts, to confirm any allergy the pupil has and whether they carry medication. Where a pupil has a new diagnosis and/or has moved to the school mid-term, we will send a form and put arrangements in place within 2 weeks
- Send a reminder to parents/carers at the start of each year asking them to update their child's medical information as necessary using Arbor.
- We ask that parents/carers proactively inform us by either phone call to the school 020 7771 6121 or an email to office@grange.southwark.sch.uk if their child's medical needs change during the school year.

4.2 Identifying staff and visitors at risk

We ask staff and visitors if there are any allergies we need to be aware of including:

- Asking new staff to provide details of their allergies in advance of their start date
- Asking visitors to provide details of their allergies in advance of their visit

4.3 Individual healthcare plans (IHP)

Pupils should have an IHP if they:

- Have an allergy which has a functional impact on them in the school environment
- They are at risk of harm as a result of their allergy; and
- Require arrangements which are additional to or different from those made generally
-

It is not necessary for a pupil to have a formal diagnosis of allergy for them to have an IHP. Healthcare professionals may decide that it is more appropriate to accept that the child shows symptoms, rather than proceeding to a formal diagnosis.

The IHP will set out the additional and/or different arrangements that will be in place for supporting the pupil. The school will make every effort to make sure that arrangements are put in place within 2 weeks, or by the beginning of the relevant term for pupils who are new to our school.

Not all children with an allergy will require an IHP. Some allergies will have little or no impact on the pupil while they are at school, or pose no risk to the pupil. Some allergies will not require arrangements which are additional to or different from those made generally.

The headteacher is responsible for deciding (in discussion with the parents/carers and any relevant healthcare professionals) whether a pupil's allergy can be managed through the adjustments made under the school's medical conditions policy or whether an IHP is required to specify arrangements that reflect the pupil's circumstances.

The school will consider the following principles:

- If the arrangements or support which a pupil requires would be available to any pupil as part of normal policies, an IHP may not be required
- If the pupil only needs non-prescription medication and the school's medical conditions policy would permit them to carry and administer it, an IHP may not be required
-

IHPs will be reviewed at least annually and more frequently if the pupil's needs have changed. Where a pupil moves on to a new school or college, their IHP will be shared as part of the transition.

4.4 Allergy and asthma action plans

All pupils who have a known allergy to a food or insect stings should be issued with an appropriate allergy action plan by their healthcare professional.

All pupils who have asthma should be issued with an asthma action plan by their healthcare professional.

The plans include medical and parental consent for staff to administer emergency medicines, including adrenaline for anaphylaxis or reliever inhaler in the event of an asthma attack.

The allergy action plan and/or asthma action plan should be attached to the pupil's IHP. Whenever the allergy action plan is updated, the pupil's IHP should be reviewed to incorporate it.

4.5 Register of pupils with known allergies

The school maintains a register of pupils who have a known allergy. The register includes:

- Known allergens and risk factors for anaphylaxis
 - Whether a pupil has been prescribed ADs (and if so, what type and dose)
 - Where a pupil has been prescribed an AD, whether parental consent has been given to administer emergency medication
 - A photograph of each pupil to allow a visual check to be made
- The register is kept on the school's health care drive and in the school kitchen, and can be checked quickly by any member of staff as part of initiating an emergency response

5. Assessing risk

The school will conduct a risk assessment for any pupil at risk of anaphylaxis taking part in:

- Lessons such as food technology
- Science experiments involving foods
- Crafts using food packaging
- Off-site events and school trips
- Any other activities involving animals or food, such as animal handling experiences or baking

A risk assessment for any pupil at risk of an allergic reaction will also be carried out where a visitor requires a guide dog.

6. Minimising risk

The school will:

- Promote handwashing before and after eating.
- Prohibit sharing of food, drinks and utensils.
- Ensure pupils use named water bottles.
- Clearly label food provided for pupils with allergies.

6.1 Hygiene procedures

- Pupils are reminded to wash their hands before and after eating
- Sharing of food, food containers, and food utensils is not allowed
- Pupils have their own named water bottles, and lunch boxes provided to pupils with food allergies will be clearly labelled with the name of the child for whom they are intended
- Where food is not directly provided by the school, parental engagement and permission will be sought in advance

6.2 Catering

The school is committed to providing safe food options to meet the dietary needs of pupils with allergies.

- Catering staff receive appropriate training and are able to identify pupils with allergies
- The school will engage with caterers to understand the controls in place to ensure that food service complies with relevant requirements
- School menus are available for parents/carers and pupils to view with ingredients clearly labelled, and catering staff are available to discuss the provision of allergy safe meals with parents/carers
- Where changes are made to school menus, we will make sure these comply with legislation, and continue to meet any special dietary needs of pupils
- Food allergen information relating to the 'top 14' allergens is displayed on the packaging of all food products, allowing pupils and staff to make safer choices. Allergen information labelling will follow all [legal requirements](#) that apply to naming the food and listing ingredients, as outlined by the Food Standards Agency (FSA)
- Where food is provided by the school, staff will understand how to read labels for food allergens
- Catering staff follow hygiene and allergy procedures when preparing food to avoid cross-contamination

6.3 Insect bites/stings

When outdoors:

- Shoes should always be worn
- Food and drink should be covered

6.4 Animals

- All pupils will always wash hands after interacting with animals to avoid putting pupils with allergies at risk through later contact
- Pupils with animal allergies will not interact with animals

6.5 Visits and trips

- No pupils with allergies will be excluded from taking part

- The school will plan accordingly for all visits and trips, and arrange for the staff members involved to be aware of pupils' allergies and to have received appropriate training
- The school will conduct a risk assessment for any pupil at risk of anaphylaxis taking part in a school trip
- Pupils at risk of anaphylaxis should have their own ADs with them
- Staff trained to administer adrenaline in an emergency will be present on the school trip
- Appropriate measures will be taken in line with the school's AD protocols for off-site events and school trips (see section 8.5)

7. Procedures for handling an allergic reaction

- All staff are trained annually to recognise the signs of both mild and severe allergic reactions (known as anaphylaxis) and respond appropriately
- Staff are trained in the administration of adrenaline to minimise delays in an emergency
- If the pupil has an allergy action plan, this must be followed
- A spare school AD device will only be used if:
 - The pupil does not have a prescribed AD

8. Adrenaline devices (ADs)

Following the Department of Health and Social Care's Guidance on using [emergency adrenaline auto-injectors in schools](#), set out your school's procedures for ADs, covering these areas:

8.1 Prescribed Ads

Pupils prescribed adrenaline auto-injectors should have rapid access to them throughout the school day.

At Grange:

- Individual devices are stored in classroom medical bags.
- Associated healthcare plans are available with medication records.

8.2 Spare ADs and inhalers

Grange school maintains spare emergency adrenaline auto-injectors.

These are:

- Stored in the main office.
- Kept accessible for emergency use.
- Stored in accordance with manufacturer guidance.
- Checked monthly.

8.3 Disposal

Used devices will be disposed of in accordance with manufacturer guidance.

8.4 Use of ADs off school premises

Medication will accompany pupils on educational visits and off-site activities.

Pupils at risk of anaphylaxis who are able to administer their own adrenaline should carry their own ADs with them on school trips and off-site events

8.5 Emergency Anaphylaxis Kit

The school maintains an emergency anaphylaxis kit including:

- Spare adrenaline auto-injectors.
- Instructions for use.
- Storage guidance.
- Expiry records.
- Approved pupil lists.
- Administration records

9. Serious incidents and 'near misses'

All allergic reactions, anaphylaxis incidents and near misses will be:

- Recorded on CPOMS.
- Recorded within the school's central allergy records.
- Shared with parents/carers.
- Reviewed to identify learning and future preventative measures.

10. Allergy awareness

All staff will receive allergy awareness training at least annually, including:

- Recognising allergic reactions.
- Recognising anaphylaxis.
- Emergency response procedures.
- Adrenaline auto-injector use.
- Risk reduction strategies.
- Inclusion and wellbeing considerations.

10.2 Awareness of allergy safety policy

This allergy safety policy will be published on the school's website and shared with parents/carers at the start of the school year.

All staff should be aware of and understand the policy as part of annual allergy awareness training.

11. Wellbeing

Pupils with allergies will have additional support through:

- Pastoral care
- Regular check-ins with their class team
- Reassurance that steps are being taken to minimise the risks of exposure to allergen and that robust measures are in place in the event of anaphylaxis

The school will respond to any instance of bullying in line with its behavior policy.

11.1 Wellbeing support following an incident or 'near miss'

The school recognises that an incident or a 'near miss' is a serious event with a potential impact not only on the pupil but their family, those involved in responding, and any witnesses. The school will provide support to those involved.

The school will support staff involved in any incident or 'near miss'.

See section 9 of the policy for more detail on incidents and 'near misses'.

12. Information sharing

Information about an individual's health is considered special category data under UK GDPR. It will therefore be handled in line with our data protection policy.

13. Monitoring arrangements

This policy will be monitored by the allergy safety lead.

It will be reviewed and approved annually by the allergy safety lead, or more frequently if a serious incident or 'near miss' identifies an area for improvement.

14. Links to other policies

This policy links to the following policies and procedures:

- Health and safety policy
- Supporting pupils with medical conditions policy
- School food policy
- Data protection policy
- Behavior policy

The correct use of your Adrenaline Auto-Injector (AAI)

Recognise the signs of anaphylaxis



➔ Swelling in the throat, tongue or upper airways.
(Tightening of the throat, hoarse voice, difficulty swallowing).



➔ Sudden onset wheezing, breathing difficulty, noisy breathing.



➔ Dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

Don't delay



If you have any signs of anaphylaxis, use your AAI immediately. If in doubt, use it. Don't delay. Then dial 999 straight away.

What to do in an emergency



Use your AAI without delay.



Immediately dial 999
say anaphylaxis. ("ana-fill-axis")



If you are not already lying down, then do so. (see positioning below)



Use your second AAI if you haven't improved after 5 minutes.

Correct positioning

Correct positioning

Lie down flat and raise your legs.



If pregnant, lie down on left side.



Don't stand up. Stay lying down even if you are feeling better.

Prop yourself up if you are struggling to breathe but don't change position suddenly. Lie down again as soon as you can.



Be prepared



1

There are 3 different types of AED. Know how to use yours.



2

Follow the instructions.



3

Always carry 2 in-date AEDs with you.



4

Check the expiry dates regularly and replace AEDs before they expire.

This child has the following allergies:

Name:

DOB:

Photo

Mild/moderate reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

Action to take:

- Stay with the child, call for help if necessary
- Locate adrenaline autoinjector(s)
- Give antihistamine:

(If vomited, can repeat dose)

- Phone parent/emergency contact

Watch for signs of ANAPHYLAXIS (life-threatening allergic reaction)

Anaphylaxis may occur without skin symptoms: ALWAYS consider anaphylaxis in someone with known food allergy who has **SUDDEN BREATHING DIFFICULTY**

A AIRWAY

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B BREATHING

- Difficult or noisy breathing
- Wheeze or persistent cough

C CONSCIOUSNESS

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

IF ANY ONE (OR MORE) OF THESE SIGNS ABOVE ARE PRESENT:

- 1 Lie child flat with legs raised (if breathing is difficult, allow child to sit)



- 2 Use Adrenaline autoinjector **without delay** (eg. EpiPen®) (Dose: . mg)

- 3 Dial 999 for ambulance and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

*** IF IN DOUBT, GIVE ADRENALINE ***

AFTER GIVING ADRENALINE:

1. Stay with child until ambulance arrives, do **NOT** stand child up
2. Commence CPR if there are no signs of life
3. Phone parent/emergency contact
4. If no improvement **after 5 minutes**, give a further adrenaline dose using a second autoinjectable device, if available.

You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis.

Emergency contact details:

1) Name:



2) Name:



Parental consent: I hereby authorise school staff to administer the medicines listed on this plan, including a 'spare' back-up adrenaline autoinjector (AAI) if available, in accordance with Department of Health Guidance on the use of AAI in schools.

Signed:


Print name:

Date:


For more information about managing anaphylaxis in schools and "spare" back-up adrenaline autoinjectors, visit: sparepensinschools.uk

© The British Society for Allergy & Clinical Immunology 5/2018


How to give EpiPen®



PULL OFF BLUE SAFETY CAP and grasp EpiPen. Remember: 'blue to sky, orange to the thigh'



Hold leg still and PLACE ORANGE END against mid-outer thigh 'with or without clothing'



PUSH DOWN HARD until a click is heard or felt and hold in place for 3 seconds. Remove EpiPen.

Additional instructions:

If wheezy, GIVE ADRENALINE FIRST, then asthma reliever (blue puffer) via spacer

This is a medical document that can only be completed by the child's healthcare professional. It must not be altered without their permission. This document provides medical authorisation for schools to administer a 'spare' back-up adrenaline autoinjector if needed, as permitted by the Human Medicines (Amendment) Regulations 2017. During travel, adrenaline auto-injector devices must be carried in hand-luggage or on the person, and NOT in the luggage hold. This action plan and authorisation to travel with emergency medications has been prepared by:

Sign & print name:

Hospital/Clinic:



Date:

